

EZ 22 - UGS Urethane Grout & Spall Filler PART A

SAFETY DATA SHEET

623 Chatsworth Hwy 225

Calhoun, GA 30701

706.403.3286

lamininindustries.com

Hazard(s) identification

· Classification of the substance or mixture



Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. H335

STOT SE 3 May cause respiratory irritation.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

4,4'-methylenediphenyl diisocyanate diphenylmethanediisocyanate,isomeres and homologues methylenediphenyl diisocyanate

Hazard statements:

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.



May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

Composition/information on ingredients

- **Chemical characterization: Mixtures**
- Description: Mixture of the substances listed below with nonhazardous additions.



· Dangerous components:

101-68-8 4,4'-methylenediphenyl diisocyanate >25-≤50%

♠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ♠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335

9016-87-9 diphenylmethanediisocyanate,isomeres and homologues >25-≤50%

♠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ♠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335

26447-40-5 methylenediphenyl diisocyanate >2.5-<5%

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;
 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335

First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for 15 minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if victim is unconscious or having convulsions. If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

Fire-fighting measures

- · Extinguishing media:
- · Suitable extinguishing agents: water spray, dry powder, carbon dioxide, foam
- · Special hazards arising from the substance or mixture:

Hazards during fire-fighting: nitrous gases, fumes/smoke, isocyanate, vapor

- Advice for firefighters:
- **Protective equipment:** Firefighters should be equipped with self-contained breathing apparatus and turn-out gear
- Additional information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Accidental release measures

- · Personal precautions, protective equipment and emergency procedures:
- Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.



Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

101-68-8 4,4'-methylenediphenyl diisocyanate	0.45 mg/m³
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	0.15 mg/m³
26447-40-5 methylenediphenyl diisocyanate	29 mg/m³
· PAC-2:	
101-68-8 4,4'-methylenediphenyl diisocyanate	5 mg/m³
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	3.6 mg/m³
26447-40-5 methylenediphenyl diisocyanate	40 mg/m³
· PAC-3:	
101-68-8 4,4'-methylenediphenyl diisocyanate	55 mg/m³
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	22 mg/m³
26447-40-5methylenediphenyl diisocyanate	240 mg/m³

Handling and storage

· Precautions for safe handling

Ensure thorough ventilation of stores and work area. Protect against moisture.

Ensure good ventilation/exhaustion at the workplace. Avoid aerosol formation. When handling heated product, vapours of the product should be ventilated, and respiratory protection used. Wear respiratory protection when spraying. Danger of busting when sealed gastight. Protect against moisture. If bulging of drum occurs, transfer to well ventilated area, puncture to relieve pressure, open vent and let stand for 48 hours before resealing.

Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Segregate friom acids and bases.

- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Carbon Steel, (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE)
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.



Control parameters

· Components with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate

Ceiling limit value: 0.2 mg/m³, 0.02 ppm REL Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm

*10-min

TLV Long-term value: 0.051 mg/m³, 0.005 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid



Color: Dark brown
Odor: musty
Odor slight odour
threshold: Not determined.
pH-value: Not determined.

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 200 °C (392 °F)

Flash point: 198 °C (388.4 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 400 °C (752 °F)
 Decomposition temperature: Not applicable.
 Not applicable.
 400 °C (752 °F)
 Not determined.

· Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not determined.

• **Density at 20 °C (68 °F):** 1.15153 g/cm³ (9.60952 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility

with Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.00 %

0.0 g/l / 0.00 lb/gl

· Other information No further relevant information available.

Stability and reactivity

 $\cdot \, \underline{\text{Reactivity:}} \, \, \text{No further relevant information available.}$

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions:

Contact with certain rubbers and plastics can cause brittleness of the substance/product with subsequent loss in strength.

Exothermic reaction. Reacts with strong acids and alkalies. Reacts with oxidizing agents.

· Conditions to avoid: Avoid moisture

· Incompatible materials:

acids, amines, alcohols, water, Alkalines, strong bases, Products that react with isocyantes



· Hazardous decomposition products:

aromatic isocyanates, gases/vapors carbon monoxide, carbon dioxide, nitrogen oxide, hydrogen cyanide

Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 4,796 mg/kg
Inhalative LC50/4 h (mouse) 11.4 mg/l

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2,200 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

101-68-8 4,4'-methylenediphenyl diisocyanate

3 3

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- <u>Persistence and degradability</u> No further relevant information available.
- · Behavior in environmental systems:
- <u>Bioaccumulative potential</u> No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.



Disposal Considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in a licensed facility. Dispose of in a licensed facility. Do not discharge substance/product into sewer system.

- Uncleaned packagings:
- **Recommendation**: Disposal must be made according to official regulations.

Transportation information

· UN-Number

· DOT, ADN, IMDG, IATA not regulated

· UN proper shipping name

· DOT, ADN, IMDG, IATA not regulated

· Transport hazard class(es)

· DOT, ADN, IMDG, IATA

· Class not regulated

· Packing group

DOT, IMDG, IATA not regulated
 Environmental hazards: Not applicable.
 Special precautions for user Not applicable.

· Transport in bulk according to Annex

II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

101-68-8 4,4'-methylenediphenyl diisocyanate

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.



· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

101-68-8 4,4'-methylenediphenyl diisocyanate

D, CBD

CBD

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

4,4'-methylenediphenyl diisocyanate

diphenylmethanediisocyanate,isomeres and homologues

methylenediphenyl diisocyanate

Hazard statements

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Safety Department
- · Date of preparation / last revision 04/09/2018 / 4
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.



EZ 22 - UGS Urethane Grout & Spall Filler PART B

SAFETY DATA SHEET

623 Chatsworth Hwy 225

Calhoun, GA 30701

706.403.3286

laminindustries.com

Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms Void
- Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 0

Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0

Fire = 2

REACTIVITY 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Composition/information on ingrdient

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.



· Dangerous components:

64742-47-8 Distillates (petroleum), hydrotreated light

≥10-≤25%

♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304

≥10-≤25%

64742-96-7 Solvent naphta (petroleum) heavy aliph.

♦ Asp. Tox. 1, H304

First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for at least 15 minutes under running water.
- · After swallowing:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if victim is unconscious or having convulsions. If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: water spray, dry powder, carbon dioxide, foam
- · Special hazards arising from the substance or mixture

Hazards during fire-fighting:

nitrous gases, fumes/smoke, isocyanate, vapor

- Advice for firefighters
- · Protective equipment:

Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

· Additional information

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Accidental measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- Protective Action Criteria for Chemicals
- · PAC-1:

 $102\text{-}60\text{-}3 \quad 1,1',1'',1'''\text{-}ethylenedinitrilotetra propan-2-ol}$

1305-78-8 calcium oxide

 34 mg/m^3 6 mg/m^3



· PAC-2:

 102-60-3
 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol
 370 mg/m³

 1305-78-8
 calcium oxide
 110 mg/m³

· PAC-3:

 102-60-3
 1,1',1"',1"''-ethylenedinitrilotetrapropan-2-ol
 2,200 mg/m³

 1305-78-8
 calcium oxide
 660 mg/m³

Handling and storage

- Handling:
- **Precautions for safe handling** Ensure thorough ventilation of stores and work area. Protect against moisture.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Segregate friom acids and bases.

- Storage:
- Requirements to be met by storerooms and receptacles:

Carbon Steel, (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE)

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

Exposure control/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.



Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance

: Form: Liquid

Color: Amber colored slight

Odor: odour NotOdor threshold: determined.

· pH-value at 20 °C (68 °F): 7

· Change in condition

Melting point/Melting range: Undetermined . 200

Boiling point/Boiling range: $^{\circ}C$ (392 $^{\circ}F$)

• Flash point: $> 61 \,^{\circ}\text{C} \, (>141.8 \,^{\circ}\text{F})$

Flammability (solid, gaseous)
 Ignition temperature:
 Decomposition temperature:
 Not applicable.
 250 °C (482 °F)
 Not determined.

· **Auto igniting:** Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Vapor pressure at 20 °C (68 °F): 2 hPa (1.5 mm Hg)

• **Density at 20 °C (68 °F):** 0.99576 g/cm³ (8.30962 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.
 Not determined.

· Solubility in / Miscibility

with Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 400 mPas Kinematic: Not determined.

· Solvent content:

· VOC content: 0.00 %

0.0 g/l / 0.00 lb/gl

Solids content: 85.0 %

· Other information No further relevant information available.



Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Contact with certain rubbers and plastics can cause brittleness of the substance/product with subsequent loss in strength.

Exothermic reaction. Reacts with strong acids and alkalies. Reacts with oxidizing agents.

- · Conditions to avoid Avoid moisture
- · Incompatible materials:

acids, amines, alcohols, water, Alkalines, strong bases, Products that react with isocyantes

· Hazardous decomposition products:

aromatic isocyanates, gases/vapors

carbon monoxide, carbon dioxide, nitrogen oxide, hydrogen cyanide

Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.



Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in a licensed facility. Dispose of in a licensed facility. Do not discharge substance/product into sewer system.

- Uncleaned packagings:
- **Recommendation**: Disposal must be made according to official regulations.

Transportation information

· UN-Number

· DOT, ADN, IMDG, IATA not regulated

· UN proper shipping name

· DOT, ADN, IMDG, IATA not regulated

· Transport hazard class(es)

· DOT, ADN, IMDG, IATA

· Class not regulated

· Packing group

DOT, IMDG, IATA not regulated
 Environmental hazards: Not applicable.
 Special precautions for user Not applicable. A

· Stowage Category

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation": not regulated

Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.



· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

Combustible liquid.

Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



- Department issuing SDS: Environment protection department.
- ·Contact: Safety Department
- ·Date of preparation / last revision 04/09/2018 / 2
- ·Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids - Category 4 Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.