

#### **PRODUCT CATALOG**

623 Chatsworth Hwy 225

Calhoun, GA 30701

706.403.3286

lamininindustries.com

The most extensive line of floor pads for any cleaning need and floor type. A sustainable, high quality and efficient solution for floor care.

All Americo pads are available in standard round and rectangular styles. Check our website for a complete listing.



The Full Cycle  $^{\circ}$  Line of Americo products are Green Seal  $^{TM}$  certified



Full Cycle<sup>®</sup> Products are certified by Green Seal<sup>™</sup> for Environmental Innovation based on faster biodegradation in landfill conditions and 100% recycled content/natural fiber. GreenSeal.org/GS20

USE THE RIGHT FLOOR MACHINE FOR BEST RESULTS



Standard Electric

Ultra High Speed Electric

Automatic Scrubber

Ultra High Speed Propane

Ultra High Speed Battery

Oscillating







## STRIPPING PADS



#### DOMINATOR

#### Extra aggressive stripping pad

- For heaviest duty stripping tasks
- Fast removal of multiple layers
- For use on oscillating machines or rotary machines up to 350 rpm





#### HP500 Heavy duty stripping pad

- For tough stripping applications
- Aggressive removal of burnished floor finish
- For use on oscillating machines or rotary machines up to 350 rpm









#### BLACK

#### Very aggressive stripping pad

- Wet stripping applications
  Aggressive removal of dirt and old finish buildup
- For use on oscillating machines or rotary machines up to 350 rpm





Scan the bar code on the left to view an informative how-to video on Americo's Maroon EcoPrep "EPP" floor pad or go to www.youtube.com/americomanufacturing



#### MAROON CONDITIONING

#### Wood floor conditioning pad

- Creates a very fine cut pattern between coats on cured urethane finish, especially water based urethane
- For use on oscillating machines or rotary machines up to 350 rpm





### ECOPREP "EPP"

For wet or dry stripping and deep scrubbing

- Sustainable stripping with no need for harsh chemicals
- For use on oscillating machines or rotary machines up to 350 rpm



### MAROON EcoPrep "EPP"

Promote sustainability with the environmentally preferred Maroon EcoPrep "EPP" floor pad

- May be used dry or with plain water
- Reduces costs and is safer for the environment
- Effortlessly removes floor finish
- Prepares floors for recoating



Full Cycle<sup>®</sup> Products are certified by Green Seal<sup>™</sup> for Environmental Innovation based on faster biodegradation in landfill conditions and 100% recycled content/natural fiber. GreenSeal.org/GS20

#### GIIT /Microtron FLOOR STRIPPING PROTECTIVE BOOTS

- Reduce risk of slips or falls when scrubbing or stripping floors
- Fits over standard footwear
- Keeps footwear clean and dry
- Replaceable soles



#### **BROWN** Aggressive stripping pad

- Wet or dry stripping applications
- Aggressive removal of wax, dirt and finish
- For use on oscillating machines or rotary machines up to 350 rpm



## SCRUBBING PADS



#### GREEN

#### Scrub pad

- For deep wet scrubbing or light stripping
- Aggressively removes dirt and scuff marks from heavily soiled floors
- For use on oscillating machines or rotary machines up to 350 rpm





#### Cleaner pad

- For light scrubbing or heavy duty spray cleaning
- Aggressively removes dirt and scuff marks from heavily soiled floors prior to recoating
- For use on oscillating machines or rotary machines up to 350 rpm





#### AUTO SCRUB/ UHS CLEANING

#### Scrub pad

- Cleans light dirt and scuff marks
- Open construction and resilient characteristics produce the highest results with auto scrubbers
- For use on rotary machines up to 1500 rpm





#### FLAMINGO

#### Auto scrub pad

- Ultimate performance when used with auto scrubbers
- Cleans light dirt and scuff marks including black heel marks, preparing floors for burnishing
- For use on oscillating machines or rotary machines up to 350 rpm





## BUFFING and POLISHING PADS



#### RED

#### Buffing pad

- For light daily cleaning and spray buffing
- Removes light scuff marks and dirt while producing high gloss shine
- For use on oscillating machines or rotary machines up to 800 rpm





#### Buffing/polishing pad

- For polishing and light cleaning
- Removes surface scuff marks and dirt while buffing floors
- For use on oscillating machines or rotary machines up to 800 rpm





#### Super polishing pad

- Extra fine pad for polishing clean, dry floors
- Use dry or wet for a high gloss "wet look" to newly tinished floors
- For use on oscillating machines or rotary machines up to 3000 rpm







## BURNISHING PADS



#### IMPRESS

### Ultra soft feel burnishing padIdeal on soft to hard

- Ideal on soft to hara floor finishes
- Burnishing between coats without 24 hrs. wait for curing
- For use on rotary machines up to 3000 rpm





**AQUA** Brilliant gloss

- Ideal on soft to medium floor finishes
- For high frequency burnishing
- For use on rotary machines up to 3000 rpm





#### **LUSTER LITE** Standard in synthetic burnishing pad

- Ultra high speed burnishing ideal on all floor finishes
- Suited for top dressing highly polished floors
- For use on rotary machines up to 3000 rpm



REMOVER

• Ideal on soft to hard floor finishes

Effective removal of black marks

• Removal of black marks and

 For use on rotary machines up to 3000 rpm

restoration of gloss in one pass



#### **IMAGE BEIGE** Very high gloss finish

- Recommended use on soft to medium finishes
- Thermal burnishing and buffing. Use dry or with a restorer
- For use on rotary machines up to 3000 rpm





#### CHAMPAGNE

### Amazing gloss in one passIdeal on medium to hard

- floor finishes
- Highly rubberized binder
  For use on rotary machines up to 3000 rpm









## BURNISHING PADS



#### NATURAL BLUE BLEND Blended polyester and light natural fibers

 Recommended use on soft to medium finishes

- Extra high gloss when buffing or burnishing
- For use on rotary machines up to 3000 rpm





#### **COMBO** Blended polyester and light natural fibers

- Recommended use on soft to medium finishes
- Extra high gloss when buffing or burnishing
- For use on rotary machines up to 3000 rpm





#### **PORKO ELITE** Blended polyester and natural fibers

- For frequent burnishing on medium to hard finishes
- Ideal for use on propane burnishers, but also works on all ultra high speed machines
- For use on rotary machines up to 3000 rpm





## Glit/Microtron®

### Blended polyester and natural coconut fibers

- Naturally lubricating fiber with a pleasant fragrance
- For frequent to moderate burnishing
- For use on rotary machines up to 3000 rpm





**PORKO NATURAL** Blended polyester and natural fibers

- For minimal thermal buffing and burnishing on hard finishes
- Natural fibers produce "wet look" finish
- For use on rotary machines up to 3000 rpm





**PORKO PLUS** Blended polyester and natural fibers

- Recommended use on hard finishes
- High gloss use it with ultra high speed machines
- For use on rotary machines up to 3000 rpm





## Glit /Microtron

Blended polyester and natural fibers

- Made with natural and synthetic fiber with a hard and aggressive binder
- For moderated to infrequent UHS burnishing
- For use on rotary machines up to 3000 rpm





**PORKO EXTREME** Blended polyester and high amount of natural fibers

- Recommended use on higher solid and harder finishes
- More aggressive pad used in infrequent burnishing for high gloss appearance
- For use on rotary machines up to 3000 rpm







## SPECIALTY PADS

#### MARBLE CARE



#### **GRAY MARBLE** Compound/conditioning pad

- For use in cleaning and crystallization process on marble or stone floors
- Infused with mineral and resin to give ultimate conditioning to the floors
- For use on rotary machines up to 175 rpm

#### MICROFIBER



#### MICROFIBER CLEANING

- Double-sided cleaner pad
- For use in daily cleaning
  Extends the finish life and will not damage the
- For use on rotary
- machines up to 350 rpm



# 6

#### MICROFIBER BURNISHING Single-sided UHS

- Burnishing pad
  Burnishing pad with soft, fine fibers that will not damage the finish
- Eliminates finish powdering
- Will not burn floors
- For use on rotary machines up to 3000 rpm



#### MELAMINE PADS

#### TURF PAD



#### TURFSCRUB<sup>TM</sup> Brush type floor pad

- Ideal for cleaning deep grout lines and uneven floor surfaces
- No need for expensive brushes
- Easy to change
- For use on oscillating machines or rotary machines up to 500 rpm





#### 

- Octopus utility pad
- Brush type pad that is ideal with Octopus Utility Pad Holders
- Size: 4.5" x 10"

## Ľ

#### XTRACT

#### Melamine floor pad

- Cleans VCT, Terrazzo, Tile, Concrete and Epoxy floors
- Ideal for cleaning tile and grout without the use of harsh chemicals
- For use on oscillating machines or rotary machines up to 350 rpm



#### **OCTOPUS XTRACT**

Melamine utility pad No.108

- Cleans without the use of harsh chemicals
- Size: 4.5" x 10"

#### CARPET CLEANING



**BEIGE CARPET PAD** Carpet encapsulation cleaning pad

- Special binder allows for soft yet durable construction
- Simple to use
- For use on carpet encapusulation machines and rotary machines up to 350 rpm



#### MICROFIBER BLUE BONNET

#### Carpet cleaning bonnet

- Extremely absorbent carpet cleaning bonnet
- Can be used on both sides
- Machine washable
  - For use on rotary machines up to 350 rpm



#### SPEED TRACKER BONNET

Polyester/rayon blend carpet cleaning bonnet

- Green strips enhance cleaning and looped construction proves superior trapping of soil
- Can be used on both sides
- Machine washable
- For use on rotary machines up to 350 rpm

# SAND SCREEN DISCS



#### SAND SCREEN DISCS

#### Aggressive Removal and Repair Disc

- Commonly used for coatings repair on wood, gym or painted floor surfaces
- Available in 60/80/100/120/150 grit



## DIAMOND SCREENS

**220 GRIT** 

RED

Super aggressive for use

on heavily soiled floors.



**Diamond Screens for Floor Restoration** 

The DiaMEND system provides outstanding results on polished concrete, natural stone and terrazzo floors. It is one of the most efficient solutions for floor restoration.

- Employs proprietary electroplated technology.
- Diamonds are exposed on screens and don't require any break-in.
- No special equipment required. Use with your existing floor maintenance equipment for low start-up costs.
- Repair traffic patterns and stains before they become more costly issues.
- Use in-house maintenance crews or existing maintenance contractor for light restoration work, without the need for special equipment or training.
- Significantly longer life up to 3X longer versus other diamond restoration systems.





**400 GRIT** 

ORANGE

For use on heavily

damaged floors.

#### **600 GRIT** GOLD Produces a satin smooth surface.



For use on oscillating machines or rotary machines up to 350 rpm







## TWISTER TM PADS DIAMOND CLEANING SYSTEM



#### **TWISTER™ RED** 400 GRIT

#### Heavy duty cleaning

- To be used on worn concrete floors
- Effectively removes scratches and stains leaving a clean, matte surface
- For use on oscillating machines or rotary machines up to 350 rpm




#### TWISTER<sup>TM</sup> WHITE 800 GRIT

#### Step 1: deep cleaning

- Deep cleans and removes heavy scratches
- Leaves a clean, smooth floor ready for the next step
- For use on oscillating machines or rotary machines up to 3000 rpm






#### **TWISTER<sup>TM</sup> YELLOW** 1500 GRIT

#### Step 2: initial polishing

- Prepares the floor for the final step
- Brings the initial luster of the floor's surface
- For use on oscillating machines or rotary machines up to 3000 rpm





#### TWISTER™ GREEN

3000 GRIT

#### Step 3: polishing and daily maintenance

- Ideal for daily use to maintain a brilliant, high luster surface
- High gloss appearance on stone, vinyl, linoleum, smooth concrete, terrazzo and natural stone floors
- For use on oscillating machines or rotary machines up to 3000 rpm






#### **TWISTER™ STARTER** PACK PLUS

The Starter Pack contains: ● 1 Twister<sup>™</sup> Red pad ● 1 Twister<sup>™</sup> White pad

- 1 Twister™ Yellow pad
- 1 Twister™ Green pad

Available in 17" and 20" sizes



#### **TWISTER™ TXP RED** 400 GRIT

#### Extra heavy duty stripping

- Blended natural and synthetic fibers, to be used on heavily worn natural stone or concrete floors
- Effective for stripping, stain and etch repair and light honing.
- For use on oscillating machines or rotary machines up to 3'50 rpm



#### **TWISTER™ PURPLE** (SuperClean)

- For daily cleaning
- Removes surface dirt and debris
- Use with water no harsh chemical required
- For use on rotary machines up to 3000 rpm




#### **TWISTER™ GRAY** (SuperGloss)

- For burnishing floors to a high gloss
- Ideal for coated floors in high traffic areas
- For use on rotary machines up to 3000 rpm











Removes scratches, wear and staining on natural stone and terrazzo floors.



The most aggressive of the Hybrid™ series. It will remove minor scoring, lippage, excessive wear and staining.